UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/772,104	02/04/2004	Scott Lewallen	2126-14-3	5058
80127 Janeway Patent	7590 10/30/200 Law PLLC		EXAMINER	
3031 NW 64th	Street		EIDE, HEIDI MARIE	
Seattle, WA 98107			ART UNIT	PAPER NUMBER
			3732	
			MAIL DATE	DELIVERY MODE
			10/30/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/772,104	LEWALLEN ET AL.	
Office Action Summary	Examiner	Art Unit	
	HEIDI M. EIDE	3732	
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet v	vith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MC tute, cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this communicatio BANDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on <u>06</u> This action is FINAL . 2b) ☐ To a since this application is in condition for allow closed in accordance with the practice under the condition of the practice under the condition of the con	his action is non-final. wance except for formal ma	•	s
Disposition of Claims			
4) Claim(s) is/are pending in the application 4a) Of the above claim(s) is/are without 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are rejected. 8) Claim(s) are subject to restriction and	lrawn from consideration. 58-73 is/are objected to.		
Application Papers			
9) The specification is objected to by the Examination The drawing(s) filed on is/are: a) and an applicant may not request that any objection to the Replacement drawing sheet(s) including the correct T1) The oath or declaration is objected to by the	nccepted or b) objected to he drawing(s) be held in abeya rection is required if the drawin	ince. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for forei a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a least content of the priority document of the priority do	ents have been received. ents have been received in riority documents have bee eau (PCT Rule 17.2(a)).	Application No n received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application 	

This application is in condition for allowance except for the following formal matters:

Specification

The priority information for application number 10/205,966 needs to be updated with the patent number.

Claim Objections

Claim 4 is objected to because of the following informalities: "the combination" on lines 4-5 is believed to be in error for --a combination--. Appropriate correction is required.

Claims 26, 53-54 and 58 are objected to because of the following informalities: "the generated voltage signal" in various locations in each of the claims is believed to be in error for --the voltage signal--. Appropriate correction is required.

Claims 47-48 are objected to because of the following informalities: "the apparatus" on line 2 of each of the claims is believed to be in error for --an apparatus--. Appropriate correction is required.

Claims 1-7, 12-16, 22, 26, 47-54 and 58-73 are objected to for not containing limitations consistent with the specification. Specifically the claim limitations of the voltage signal and the modified voltage signal. These limitations in the specification are called the stimulation signal and the divider signal. The different terminologies between the claims and the specification makes it difficult to follow what the applicant is claiming (See MPEP 608.01 (o) for further explanation).

Application/Control Number: 10/772,104

Art Unit: 3732

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

Page 3

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HEIDI M. EIDE whose telephone number is (571)270-3081. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on 571-272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Heidi Eide Examiner Art Unit 3732

/Heidi M Eide/ Examiner, Art Unit 3732

10/27/2009

/Cris L. Rodriguez/ Supervisory Patent Examiner, Art Unit 3732